CLAIMS

1. A method for a ser to provide content to a client, the method comprising:

receiving a request from the client for one or more requested content items; identifying a data structure that refers to one or more further content items; modifying the data structure to reference the requested content items; and providing the content items referenced by the modified data structure.

2. A method as recited in claim 0:

wherein identifying the data structure, the data structure comprises a playlist;

wherein receiving the request, the one or more requested content items comprises streaming media content; and

wherein providing the content items further comprises streaming the content items referred to by the playlist.

- 3. A method as recited in claim 0, wherein identifying the data structure, the data structure comprises a first Web page specification, and the requested content comprises a second Web page specification.
- 4. A method as recited in claim 0, wherein modifying the data structure further comprises adding a plurality of references to the requested content item in the data structure.

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

24 25

- 5. A method as recited in claim 0, wherein modifying the data structure further comprises adding a plural number of references to the requested content item in the data structure, the number being indicated by the request.
- 6. A method as recited in claim 0, wherein receiving the request, further comprises receiving a variety of requests from the client, at least one subset of the variety of requests comprising respective requests to one or more different content items.
- A method as recited in claim 0, wherein modifying the data structure, 7. the data structure further comprises a placeholder that identifies a particular point in a sequence where the reference to the requested content is placed.
- A method as recited in claim 0, wherein identifying the data structure 8. further comprises creating the data structure by modifying a base data structure.
- A method as recited in claim 0, wherein identifying the data structure 9. further comprises creating the data structure by copying abase data structure.

10. One or more computer-readable media containing computer program instructions for providing streaming media content to a plurality of clients, the computer program instructions comprising instructions for:

receiving a request that refers to one or more streaming media content items;

identifying a playlist that refers to a sequence of one or more further streaming media content items;

modifying the playlist to reference the one or more requested streaming media content items in the sequence; and

streaming the streaming media content items referenced by the modified playlist.

- 11. One or more computer-readable media as recited in claim 10, wherein modifying the playlist further comprises adding a plurality of references to the requested content item to the playlist.
- 12. One or more computer-readable media as recited in claim 10, wherein modifying the playlist further comprises adding a plural number of references to the requested content item to the playlist, the number being indicated by the received request.

13. One or more computer-readable media as recited in claim 10, wherein identifying the playlist further comprises creating the playlist by modifying a base playlist.

- 14. One or more computer-readable media as recited in claim 10, wherein identifying the playlist further comprises creating the playlist by modifying a copy of a base playlist.
- 15. One or more computer-readable media as recited in claim 10, wherein modifying the playlist, the data structure further comprises a placeholder that identifies a particular point in the sequence where the requested content is placed.
- 16. One or more computer-readable media as recited in claim 10, wherein receiving the request further comprises instructions for receiving a variety of requests from the client, at least one subset of the variety of requests comprising respective requests to one or more different streaming media content items.
- 17. One or more computer-readable media containing computer program instructions for providing Web content to a plurality of clients, the computer program instructions comprising instructions for:

receiving a request from the client for one or more requested Web documents;

identifying a wrapper Web document that refers to one or more further Web documents;

modifying the wrapper Web document to reference the one or more requested Web documents; and

providing the Web documents referenced by the modified wrapper Web document to the client.

18. One or more computer-readable media as recited in claim 17:

wherein modifying the wrapper Web document further comprises adding a plurality of references to the requested Web documents in the wrapper Web document.

19. One or more computer-readable media as recited in claim 17, wherein modifying the wrapper Web document further comprises:

adding a plural number of references to the requested Web documents in the wrapper Web document, the number being indicated by the received request.

- 20. One or more computer-readable media as recited in claim 17, wherein identifying the wrapper Web document, the wrapper Web document is a base wrapper Web document.
- 21. One or more computer-readable media as recited in claim 17, wherein identifying the wrapper Web document, the wrapper Web document is a copy of a base wrapper Web document.

- 22. One or more computer-readable media as recited in claim 17, wherein modifying the wrapper Web document, the wrapper Web document further comprises a placeholder that identifies a particular point in a sequence where the requested documents are referenced.
- 23. One or more computer-readable media as recited in claim 17, wherein receiving the request further comprises instructions for receiving a variety of requests from the client, at least a subset of the variety comprising respective requests to one or more different Web specification documents.
- 24. A server including a processor configured to perform one or more operations comprising:

receiving a plurality of requests from a client for one or more requested content items;

for at least a subset of the received requests:

- (a) identifying a data structure containing a sequence of references to one or more further content items;
- (b) modifying the data structure reference to the requested content items; and
- (c) communicating the content items referenced by the modified data structure to the client.

ì

25. A server as recited in claim 24, wherein the data structure comprises a playlist, the requested content comprising streaming media content, and wherein the communicating comprises streaming the content items referenced by the modified data structure to the client.

- 26. A server as recited in claim 24, wherein the data structure comprises a first Web page specification, and wherein the requested content comprises a second Web page specification.
- 27. A server as recited in claim 24, wherein modifying the data structure comprises including a plurality of references to the requested content item in the data structure.
- 28. A server as recited in claim 24, wherein modifying the data structure comprises including a plural number of references to the requested content item in the data structure, the number being indicated by the request.
- 29. A server as recited in claim 24, wherein identifying the data structure comprises creating the data structure by modifying a base data structure.
- 30. A server as recited in claim 24, wherein identifying the data structure comprises identifying the data structure by modifying a copy of a base data structure.

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

inserted.

1	31. A server as recited in claim 24, wherein at least a subset of the
2	received requests refer to differing content items.
3	
4	32. A computer-readable medium having stored thereon a wrapper data
5	structure comprising:
6	one or more first data fields, each data field containing data therein
7	representing a respective reference to a set of content items; and
8	at least one second data field containing data therein representing a
9	respective placeholder to identify a particular point in a sequence of the one or
10	more first data fields where a reference to a set of client requested content is to be

33. A computer-readable medium as recited in claim 32:

wherein the data structure comprises a playlist; and

wherein the content items and the client requested content are streaming media content items that are respectively identified with a Universal Resource Locator.

34. A computer-readable medium as recited in claim 32:

wherein the data structure comprises a Web page;

wherein the content items are a first set of Web page specifications; and

wherein the client requested content are one or more second Web page

specifications.